



The fi-5750C image scanner with dual interface capability (Ultra SCSI and USB 2.0) expands the market for production scanning. These features will insure Fujitsu's customers productivity well into the future.

- High speed scanning at high resolution
  - 30ppm A4/LT Landscape at 600dpi
  - 55ppm/110ipm A4 Portrait at 300dpi
- Superior paper Handling
  - Ultrasonic Multi Feed Detection
  - De-skew & Auto-cropping (TWAIN & ISIS driver)
  - Straight paper path and easy maintenance
- Excellent Image quality
  - Optical resolution 600dpi
  - Selectable background (B&W)
  - Image Processing Software (Option)
- Ergonomic ADF
  - ADF position selectable: 2 (two) positions (Center, Left)
  - ADF direction: 2 (two) direction is selectable for left-handed / right-handed person, when ADF is Center.



\*Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation in the United States and/or other countries.  
 \*ISIS is registered trademark of EMC Corporation of the United States.  
 \*Adobe, Adobe logo and Acrobat are either registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.  
 \*Other product names are the trademarks or registered trademarks of the respective companies.  
 \*Specifications are subject to change without notice. For the latest information, contact your local Fujitsu representative. First edition July 2006.

## TECHNICAL SPECIFICATIONS

Product name		FI-5750C
Scanner type		ADF (Automatic Document Feeder) + Flatbed
Scanning modes		Simplex / Duplex, Color / Grayscale / Monochrome
Image sensor type		Color CCD (Charge-coupled device) x 3
Light source		White cold cathode discharge lamp
Scanning range	ADF	Maximum: A3 (portrait) (297mm x 420mm or 11.7in x 17in) Minimum: A8 (portrait) (52mm x 74mm or 2.1in x 2.9in)
	Flatbed	Maximum: 304.8mm x 457.2mm or 12in x 18in
Paper weight (Thickness)		A4 / Letter size or Smaller: 41 to 203 g/m <sup>2</sup> (11 to 54 lb) Over A4 / Letter size: 52 to 203 g/m <sup>2</sup> (13.9 to 54 lb)
Scanning speed (A4 portrait)*1	Color*2	Simplex: 55 ppm (200,300dpi) Duplex: 110 ipm (200,300dpi)
	Grayscale*2	
	Monochrome	
Paper chute capacity*3		200 sheets (A4: 80 g/m <sup>2</sup> or 20 lb)
Background colors		Black / White (switchable on command)
Optical resolution		600dpi
Output resolution	Color (24 bit)	50 to 600dpi (adjustable by 1dpi increments)
	Grayscale (8 bit)	
	Monochrome (1 bit)	
Output format		Color: 24bit, Grayscale: 8bit, Monochrome: 1bit
AD converter		1024 levels (10 bit)
Interface*4		Ultra SCSI / USB 2.0 / USB 1.1 (Selectable)
Connector shape		SCSI: Shield type 50 pin, USB: B type
Output mode (half-tone)		Dither / Error diffusion
Voltage or voltage range		AC 100 to 240V, +10% / -10%
Power		Operating: 216W or less (Sleep mode: Less than 12W)
Operational environment		Temperature: 5 to 35°C (42 to 95°F) Relative humidity: 20 to 80% (Non-condensing)
Dimensions: Width x Depth x Height		690mm x 500mm x 342mm (27.2 in x 19.7 in x 13.5 in)
Weight		35kg (77.2 lb)
Terminator		Built-in
Included drivers*5		TWAIN, ISIS™
Environmental compatibility*6		ENERGY STAR® and RoHS
Others	Multi-feed detection	Yes (Standard) ultrasonic multi-feed detection sensor
	Long paper scanning*7	863mm (34 in)
	Paper counter	Yes
Included items		ADF paper chute, Stacker, AC cable, USB cable, Setup CD-ROM, User Manual CD-ROM, Adobe® Acrobat® CD-ROM, Getting Started, QuickScan™ Pro brochure, Unpacking / Packing Instruction, Operator panel overlay, VRS CD-ROM / Installation Guide

\*1 Actual scanning speeds are affected by data transmission and software processing times.  
 \*2 JPEG compressed figures.  
 \*3 Maximum capacity varies, depending upon paper weight.  
 \*4 Ultra SCSI interface cannot be used simultaneously with USB2.0  
 \*5 ISIS™ does not support Windows 95.  
 \*6 Pfu Limited, a Fujitsu company, has determined that this product meets RoHS requirements (2005 / 95 / EC).  
 \*7 The fi-5750C is capable of scanning documents that exceed A3 sheets in length.

### Options

Description	Parts number	Comments
Document holding pad (black)	PA03338 - D960	Black background for Flatbed, which is replaced easily by user
Image Processing software V2.5	PA43402 - C22901	Assists document management by printing numbers, Roman characters and codes on original documents after they have been scanned.

### Consumables

Description	Parts number	Comments
Pick roller	PA03338 - K011	Lifetime: Every 250,000 sheets or one year
Brake roller	PA03338 - K010	Lifetime: Every 250,000 sheets or one year

**Kofax VRS (Virtual ReScan) bundled!**  
 The included Virtual ReScan (VRS) enables users to:  
 •VRS verification and adjustment features generate perfect images every time.  
 •The ability to efficiently digitize large volumes of documents dramatically improves scanning productivity.  
 •Easy to use. Automated functions remove the need for skilled scanner operators.

**Japan contact**  
**PFU LIMITED**  
 International Sales Dept., Imaging Business Div.  
 Products Group  
 Solid Square East Tower, 580 Horikawa-cho, Saiwai-ku,  
 Kawasaki-city, Kanagawa 212-8563, Japan  
 Phone: (81-44) 540-4658 Fax: (81-44) 540-4639  
<http://imagescanner.fujitsu.com/>

**XXXXXXXX contact**  
**FUJITSU** x x x x x x x  
 x x x x x x x x x x x  
 x x x x x x x x x x x  
 x x x x x x x x x x x  
 x x x x x x x x x x x  
 Phone: (1-23) 456-7890 Fax: 123-456  
<http://www.x x x x .com/>



THE POSSIBILITIES ARE INFINITE

FUJITSU

**A3** COLOR  
DUPLIX  
DOCUMENT  
SCANNER

# *fi*-5750C Image Scanner

*A3 Scanner*



- A3
- ADF + Flatbed
- Straight Path
- DUPLIX
- COLOR
- Ultra sonic sensor
- Ultra SCSI
- USB 2.0
- Mono. 110 A4 ipm
- Color 110 A4 ipm
- 600 dpi

- Win XP
- Win 2000 Professional
- WinNT4.0
- Win Me
- Win98SE
- Win 98
- Win 95



**Adobe** Bundled!  
**Acrobat 7.0**  
Standard

- Convert any document to a PDF file

for Microsoft® Windows®  
Operating Systems



- FUJITSU TWAIN Driver



## QUALITY SCANNER

As an ENERGYSTAR® partner, Pfu Limited, a Fujitsu company, has determined that this product meets the ENERGYSTAR® guidelines for energy efficient. ENERGYSTAR® is a registered trademark in the United States.